




NEXTURN

Models:

SA 20D/26D/32D

NX.000.D


AXIAL



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.011.D


**RADIAL
SET-BACK**



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.021.D


**RADIAL
ADJUSTABLE**



ER-11
RATIO 1:1
8.000 RPM MAX.

NX.035.D


**THREAD
WHIRLING**



SPECIAL
RATIO 1:1
5.000 RPM MAX.

NX.010.D2


**RADIAL
2 SPINDLES**





ER-16
RATIO 1:1
8.000 RPM MAX.

NX.010.D3

**RADIAL
3 SPINDLES**



ER-16
RATIO 1:1
8.000 RPM MAX.



SPECIALS: NO PROBLEM




NEXTURN

Models:

SA 20X/26X/32X

NX.000.X


AXIAL



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.011.X


**RADIAL
SET-BACK**



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.021.X


**RADIAL
ADJUSTABLE**



ER-11
RATIO 1:1
8.000 RPM MAX.

NX.035.X


**THREAD
WHIRLING**



SPECIAL
RATIO 1:1
5.000 RPM MAX.

NX.010.X2


**RADIAL
2 SPINDLES**




ER-16
RATIO 1:1
8.000 RPM MAX.

NX.010.X3

**RADIAL
3 SPINDLES**



ER-16
RATIO 1:1
8.000 RPM MAX.



SPECIALS: NO PROBLEM


NEXTURN

Models:

SA 20E/26E/32E/38E

NX.011.EL


**RADIAL
SET-BACK
LONG**



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.011.ES


**RADIAL
SET-BACK
SHORT**



ER-11
RATIO 1:1
8.000 RPM MAX.

NX.035.E


**THREAD
WHIRLING**



SPECIAL
RATIO 1:1
5.000 RPM MAX.

NX.021.EL


**RADIAL
ADJUSTABLE
LONG**




ER-11
RATIO 1:1
8.000 RPM MAX.

NX.021.ES

**RADIAL
ADJUSTABLE
SHORT**



ER-11
RATIO 1:1
8.000 RPM MAX.



SPECIALS: NO PROBLEM




NEXTURN

Models:

SA 12A/20A/18C
SA 12B/20B/20LX

NX.011.AL

**RADIAL
SET-BACK
LONG**




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.011.AS


**RADIAL
SET-BACK
SHORT**



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.021.AL

**RADIAL
ADJUSTABLE
LONG**




ER-11
RATIO 1:1
8.000 RPM MAX.




NX.021.AS

**RADIAL
ADJUSTABLE
SHORT**



ER-11
RATIO 1:1
8.000 RPM MAX.



SPECIALS: NO PROBLEM